

References and URL's to the literature cited

Course: *Glacier mass balance approaches and methods*

- Fischer, A. (2011). Comparison of direct and geodetic mass balances on a multi-annual time scale. *The Cryosphere*, 5(1), 107-124.
- Bamber, J. L., & Rivera, A. (2007). A review of remote sensing methods for glacier mass balance determination. *Global and Planetary Change*, 59(1), 138-148.
- Braithwaite, R. J. (2008). Temperature and precipitation climate at the equilibrium-line altitude of glaciers expressed by the degree-day factor for melting snow. *Journal of Glaciology*, 54(186), 437-444.
- Braithwaite, R. J., & Zhang, Y. (2000). Sensitivity of mass balance of five Swiss glaciers to temperature changes assessed by tuning a degree-day model. *Journal of Glaciology*, 46(152),
- Brock, B. W., Willis, I. C., Sharp, M. J., & Arnold, N. S. (2000). Modelling seasonal and spatial variations in the surface energy balance of Haut Glacier d'Arolla, Switzerland. *Annals of Glaciology*, 31(1), 53-62.
- Chaturvedi, R. K., Kulkarni, A., Karyakarte, Y., Joshi, J., & Bala, G. (2014). Glacial mass balance changes in the Karakoram and Himalaya based on CMIP5 multi-model climate projections. *Climatic change*, 123(2), 315-328.
- DOBHAL, D., GERGAN, J., & THAYYEN, R. Mass balance studies of the Dokriani Glacier from to, Garhwal Himalaya, India.
- Elsberg, D. H., Harrison, W. D., Echelmeyer, K. A., & Krimmel, R. M. (2001). Quantifying the effects of climate and surface change on glacier mass balance. *Journal of Glaciology*, 47(159), 649-658.
- Gerbaux, M., Genthon, C., Etchevers, P., Vincent, C., & Dedieu, J. P. (2005). Surface mass balance of glaciers in the French Alps: distributed modeling and sensitivity to climate change. *Journal of Glaciology*, 51(175), 561-572.
- Giesen, R. H., Andreassen, L. M., Van den Broeke, M. R., & Oerlemans, J. (2009). Comparison of the meteorology and surface energy balance at Storbreen and Midtdalsbreen, two glaciers in southern Norway. *The Cryosphere*, 3(1), 57-74.
- Cogley, J. G., Hock, R., Rasmussen, L. A., Arendt, A. A., Bauder, A., Braithwaite, R. J., ... & Zemp, M. (2011). Glossary of glacier mass balance and related terms, IHP-VII technical documents in hydrology No. 86, IACS Contribution No. 2. *International Hydrological Program, UNESCO, Paris*.
- Hock, R., & Holmgren, B. (2005). A distributed surface energy-balance model for complex topography and its application to Storglaciären, Sweden. *Journal of Glaciology*, 51(172), 25-36.

Hock, R., & Radić, V. (2007). Climate sensitivity of Storglaciären, Sweden: an intercomparison of mass-balance models using ERA-40 re-analysis and regional climate model data. *Annals of glaciology*, 46(1), 342-348.

Huss, M., Farinotti, D., Bauder, A., & Funk, M. (2008). Modelling runoff from highly glacierized alpine drainage basins in a changing climate. *Hydrological processes*, 22(19), 3888-3902.

Huss, M., Bauder, A., Funk, M., & Hock, R. (2008). Determination of the seasonal mass balance of four Alpine glaciers since 1865. *Journal of Geophysical Research: Earth Surface*, 113(F1).

Dyurgerov, M., Meier, M., & Armstrong, R. L. (2002). *Glacier mass balance and regime: data of measurements and analysis* (p. 268). Boulder,, USA: Institute of Arctic and Alpine Research, University of Colorado.

Cogley, J. G. (2009). Geodetic and direct mass-balance measurements: comparison and joint analysis. *Annals of Glaciology*, 50(50), 96-100.

Klok, E. J., & Oerlemans, J. (2002). Model study of the spatial distribution of the energy and mass balance of Morteratschgletscher, Switzerland. *Journal of Glaciology*, 48(163), 505-518.

Machguth, H., Paul, F., Kotlarski, S., & Hoelzle, M. (2009). Calculating distributed glacier mass balance for the Swiss Alps from regional climate model output: A methodical description and interpretation of the results. *Journal of Geophysical Research: Atmospheres*, 114(D19).

Paul, F., Escher-Vetter, H., & Machguth, H. (2009). Comparison of mass balances for Vernagtferner, Oetztal Alps, as obtained from direct measurements and distributed modeling. *Annals of Glaciology*, 50(50), 169-177.

Paul, F., & Kotlarski, S. (2010). Forcing a distributed glacier mass balance model with the regional climate model REMO. Part II: downscaling strategy and results for two Swiss glaciers. *Journal of Climate*, 23(6), 1607-1620.

Pellicciotti, F., Brock, B., Strasser, U., Burlando, P., Funk, M., & Corripio, J. (2005). An enhanced temperature-index glacier melt model including the shortwave radiation balance: development and testing for Haut Glacier d'Arolla, Switzerland. *Journal of Glaciology*, 51(175), 573-587.

Marinsek, S., & Ermolin, E. (2015). 10 year mass balance by glaciological and geodetic methods of Glaciar Bahía del Diablo, Vega Island, Antarctic Peninsula. *Annals of Glaciology*, 56(70), 141-146.

Bollmann, E. (2010). *Airborne laser scanning glacier mass balance: evaluation of airborne laser scanning glacier mass balance calculations at Hintereisferner (Tyrol, Austria)*. na.

Tangborn, W. V., Krimmel, R. M., & Meier, M. F. (1975). A comparison of glacier mass balance by glaciological, hydrological and mapping methods, South Cascade Glacier, Washington. *International Association of Hydrological Sciences Publication*, 104, 185-196.

Tangborn, W. V., Krimmel, R. M., & Meier, M. F. (1975). A comparison of glacier mass balance by glaciological, hydrological and mapping methods, South Cascade Glacier, Washington. *International Association of Hydrological Sciences Publication*, 104, 185-196.

Zemp, M., Hoelzle, M., & Haeberli, W. (2009). Six decades of glacier mass-balance observations: a review of the worldwide monitoring network. *Annals of Glaciology*, 50(50), 101-111.

URL to the cited literature

- <http://www.the-cryosphere.net/5/107/2011/tc-5-107-2011.html>
- <http://www.sciencedirect.com/science/article/pii/S0921818106003055>
- <http://www.ingentaconnect.com/content/igsoc/jog/2008/00000054/00000186/art00006>
- <http://www.ingentaconnect.com/content/igsoc/jog/2000/00000046/00000152/art00002>
- <http://www.ingentaconnect.com/content/igsoc/agl/2000/00000031/00000001/art00010>
- <http://link.springer.com/article/10.1007/s10584-013-1052-5>
- http://snow.seppyo.org:8080/www_seppyo_org/bgr/pdf/25/BGR25P9.PDF
- <http://www.ingentaconnect.com/content/igsoc/jog/2001/00000047/00000159/art00013>
- <http://www.ingentaconnect.com/content/igsoc/jog/2005/00000051/00000175/art00006>
- <http://www.the-cryosphere.net/3/57/2009/tc-3-57-2009.pdf>
- <http://www.ingentaconnect.com/content/igsoc/jog/2005/00000051/00000172/art00003>
- <http://www.ingentaconnect.com/content/igsoc/agl/2007/00000046/00000001/art00051>
- <http://onlinelibrary.wiley.com/doi/10.1002/hyp.7055/abstract>
- <http://onlinelibrary.wiley.com/doi/10.1029/2007JF000803/full>
- ftp://sidads.colorado.edu/DATASETS/NOAA/G10002/Occasional_Paper55/instaar_occasional_paper_no55.pdf
- http://www.science.earthjay.com/instruction/CR_eureka/2014_spring/ENVSCI_15/lecture_08/cogley_2009_glacier_geodetic_mass_balance_measurements.pdf
- <http://www.ingentaconnect.com/content/igsoc/jog/2002/00000048/00000163/art00003>
- <http://onlinelibrary.wiley.com/doi/10.1029/2009JD011775/full>
- http://glaciers.gi.alaska.edu/sites/default/files/mccarthy/Notes_massbal_Hock.pdf
- <http://www.igsoc.org:8080/annals/50/50/a50a014.pdf>
- <http://journals.ametsoc.org/doi/abs/10.1175/2009JCLI3345.1>
- https://www.researchgate.net/profile/Javier_Corripio/publication/228669795_Pellicciotti_F._B._Brock_U._Strasser_P._Burlando_M._Funk_and_J._Corripio_An_enhanced_temperature-index_glacier_melt_model_including_the_shortwave_radiation_balance_Development_and

[testing for Haut Glacier d'Arolla Switzerland. Journal of Glaciology 51/links/00b7d51b18f2e24e13000000.pdf](#)

[wgms.ch/summer-school-on-mass-balance-measurements-and-analysis-2013/](#)

[https://www.igsoc.org/annals/56/70/a70a958.pdf](#)

[https://www.uibk.ac.at/geographie/projects/alsx/text/thesis_erik.pdf](#)

[http://hydrologie.org/redbooks/a104/iahs_104_0185.pdf](#)

[http://hydrologie.org/redbooks/a104/iahs_104_0185.pdf](#)

[http://www.igsoc.org:8080/annals/50/50/a50a018.pdf](#)